р.3

In the Claims:

Claim 1 (currently amended):

1 1. A method for making a series of nanoscale microstructures comprising the steps of:

Liauh and Assoc

- (1)forming a chiral block copolymer containing a first polymer blocks block of a first 2 polymers polymer and a second polymer blocks block of a second polymers polymer, 3 wherein at least said first polymer is a chiral polymer exhibiting chirality, and said first and second polymer blocks are capable of being subject to a micro-phase 5 6 separation and said first polymers have polymer has a volume fraction ranging from 7 10 to 90%;
- **(2)** 8 causing a microphase separation in said chiral block copolymer;
- wherein said first polymer is poly(L-lactide) and said second polymer is selected from the 9 group consisting of polystyrene and pol(4-vinylpyridine), further wherein said chiral block 10 [] copolymer is poly(styrene)-poly(L-lactide) (PS-PLLA) chiral block copolymer when said second polymer is polystyrene and poly(4-vinylpyridine)-poly(L-lactide) (P4VP-PLLA) 12 chiral block copolymer when said second polymer is pol(4-vinylpyridine); 13
- further wherein said poly(styrene)-poly(L-lactide) (PS-PLLA) chiral block copolymer is 14 15 prepared using a polymerization process comprising the following steps:
- 16 (a) mixing styrene with BPO and 4-OH-TEMPO to form 4-hydroxy-TEMPO-terminated 17 polystyrene; and
- **(b)** 18 mixing said 4-hydroxy-TEMPO-terminated polystyrene with L-lactide in an organic 19 solvent to form said poly(styrene)-poly(L-lactide) chiral block copolymer.

Claim 2 (original):

- 1 2. The method for making a series of nanoscale microstructures according to claim 1, wherein
- said chiral block copolymer is poly(styrene)-poly(L-lactide) (PS-PLLA) chiral block
- copolymer, said first polymer is poly(L-lactide), and said second polymer is polystyrene.

Claim 3 (original):

- 1 3. The method for making a series of nanoscale microstructures according to claim 1, wherein
- 2 said chiral block copolymer is poly(4-vinylpyridine)-poly(L-lactide) (P4VP-PLLA) chiral
- 3 block copolymer, said first polymer is poly(L-lactide), and said second polymer is pol(4-
- 4 vinylpyridine).

Claim 4 (currently amended):

- 1 4. The method for making a series of nanoscale microstructures according to claim 1, wherein
- 2 said first polymer-blocks polymers have polymer has a volume fraction ranging from about
- 3 20% to about 49%.

Claim 5 (original):

- 1 5. The method for making a series of nanoscale microstructures according to claim 1, wherein
- 2 said nanoscale microstructures are a series of helical microstructures.

Claim 6 (original):

- 1 6. The method for making a series of nanoscale microstructures according to claim 1, wherein
- 2 said nanoscale microstructures are a series of cylindrical microstructures each with a
- 3 hexagonal crossection.

Claim 7 (canceled);

Claim 8 (original):

1 8. The method for making a series of nanoscale microstructures according to claim 71, wherein

LIAUH;UCL0301; UCL0301,LDC; Ser. No. 10799845

p.5

Liauh and Assoc

2	said polymerization process is a living polymerization in which monomers are sequ	ientially
3	added to a polymerization mixture	

Claim 9 (previously presented):

9. The method for making a series of nanoscale microstructures according to claim 1, wherein 1 said phase separation of said chiral block copolymer is achieved through crystallization. 2

Claim 10 (currently amended):

- 10. An object article of manufacture containing a series of repeating nanoscale microstructures 1
- formed in a substrate which is formed using a process comprising the steps of: 2
- 3 (1)forming a chiral block copolymer containing a first polymer block of a first polymers polymer and a second polymer block of a second polymer, wherein at least 4 said first polymer is a chiral polymer exhibiting chirality, and said first and second 5 polymer blocks are capable of being subject to a micro-phase separation and said first 6 polymers have polymer has a volume fraction ranging from 10 to 90%; 7
- **(2)** causing a microphase separation in said chiral block copolymer; 8
- wherein said first polymer is poly(L-lactide) and said second polymer is selected from the 9 group consisting of polystyrene and pol(4-vinylpyridine), further wherein said chiral block 10 copolymer is poly(styrene)-poly(L-lactide) (PS-PLLA) chiral block copolymer when said 11 12 second polymer is polystyrene and poly(4-vinylpyridine)-poly(L-lactide) (P4VP-PLLA) 13 chiral block copolymer when said second polymer is pol(4-vinylpyridine);
- further wherein said poly(styrene)-poly(L-lactide) (PS-PLLA) chiral block copolymer is 14 prepared using a polymerization process comprising the following steps: 15
- mixing styrene with BPO and 4-OH-TEMPO to form 4-hydroxy-TEMPO-terminated (a) 16

3

p.6

polystyrene; and 17

mixing said 4-hydroxy-TEMPO-terminated polystyrene with L-lactide in an organic (b) 18 solvent to form said poly(styrene)-poly(L-lactide) chiral block copolymer. 19

Claim 11 (currently amended):

- The object article of manufacture according to claim 10, wherein said block copolymer is a 11.
- poly(styrene)-poly(L-lactide) chiral block copolymer, and said first polymer is poly(L-
- lactide) and said second polymer is polystyrene. 3

Liauh and Assoc

Claim 12 (currently amended):

12. The object article of manufacture according to claim 10 wherein said block copolymer is a poly(4-vinylpyridine)-poly(L-lactide) chiral block copolymer, and said first polymer is poly(L-lactide) blocks and said second polymer is poly(4-vinylpyridine).

Claim 13 (currently amended):

- The object article of manufacture according to claim 10 wherein said first polymers have 13. polymer has a volume fraction ranging from about 20% to about 49%. 2
 - Claim 14 (currently amended):
- The object article of manufacture according to claim 10 wherein said nanoscale 14. microstructures are a series of helical microstructures. 2

Claim 15 (currently amended):

- 15. The object article of manufacture according to claim 10 wherein said nanoscale microstructures are a series of cylindrical microstructures each with a hexagonal exossection. 2
 - Claim 16 (canceled):

LIAUH: UCL0301; UCL0301.LDC; Scr. No. 10799845

Claim 17 (currently amended):

Apr 20 06 12:32p

17. The object article of manufacture according to claim 16 10 wherein said polymerization process is a living polymerization in which monomers are sequentially added to a polymerization mixture.

Claim 18 (currently amended):

1 18. The object article of manufacture according to claim 10 wherein said phase separation of said chiral block copolymer is achieved through crystallization.

Claims 19-21 (canceled):